

# Innovations

August 2021





# Better hearing for everyone

At A&M we can proudly trace our origins back to one of the world's first manufacturers of electrical hearing aids from the beginning of the 1900's. Since our foundation, we have strived to make the benefits of trusted audiological technology accessible to everybody with hearing loss.

Our name, which we interpret as an abbreviation for the Latin term 'Auditus Melior', meaning better hearing, reflects our brand promise of better hearing for everyone, and serves as a constant reminder of our goal. The use of Latin, as the language of science and medicine, further emphasises our commitment to providing hearing care professionals with audilogically proven hearing aids that are practical, easy-to-use and affordable for the people they serve.

As the number of people who need a professionally fitted yet affordable solution to their hearing challenge continues to rise, our mission to make proven audiological technology accessible to everybody is more relevant than ever before.

## Contents

---

|    |                       |
|----|-----------------------|
| 4  | NEW P12 hearing aids  |
| 6  | Feature overview      |
| 10 | Hearing aid portfolio |
| 18 | Accessories           |

---




# P12

## Proven 12 compression channel hearing technology

Our new P12 hearing aids bring proven 12 compression channel hearing technology to even more people. 50% more channels enables more precise fitting. Higher resolution combined with the automatic and adaptive directional microphone helps users to understand in noisy environments. With a wide range of form factors available, P12 hearing aids' proven audiological technology enables you to provide better hearing for everyone.

Key features:

- **50%** more compression channels than before
- Automatic directionality for better hearing in noise
- Wide range of form factors



# Feature overview

## 12 compression channel technology



The introduction of multi-channel hearing aids has vastly improved the quality and audibility of the sound users hear, especially when compared with single channel 'filters' that simply amplify the overall sound. Now A&M P12 hearing aids feature 12 compression channel technology that further improves on this to provide even higher resolution sound and more precise control.

A&M 12 compression channel technology features:

- Precise identification of sound levels in discrete frequency regions thanks to complex acoustic scene analysis
- Improved audibility thanks to multi-path active feedback cancellation
- Noise reduction that helps preserve speech audibility while improving listening comfort
- Target gain match that adjusts the frequency response and compression settings to more configurations of hearing loss, especially the atypical ones, to ensure consistent speech audibility
- Narrow band Automatic Output Control (AOC) that restricts output limitation to a specified frequency range, preserving audibility of other sounds

## Directional iLock



In Directional iLock, A&M combines the best out of two worlds. First there is the automatic and adaptive directional microphone which is secondly complemented by a directional noise reduction system.

Traditional noise reduction systems estimate the presence of noise based on stationarity criterions. If the stationarity is high (as for e.g. a fan or traffic noise from far away), the amplification is reduced. In contrast, Directional iLock can analyze the direction of interfering sound sources - the result is a better attenuation for sounds from the back, especially for fluctuating sources such as speech.

Of course, all that works in each of the 12 channels.

## XPhone



XPhone is an upgrade for acoustic telephone calls (non-Bluetooth®) in a special hearing program. The telephone signal is streamed wirelessly using AudioExchange from the hearing aid against which the telephone is held to the opposite hearing aid so that the telephone call can be heard simultaneously in both ears. As a result, the hearing system wearer can more easily understand the person he or she is speaking to on the telephone. Through binaural loudness summation, the telephone call is perceived about twice as loud (+3 dB).

# Feature overview

## Wireless Sync



The A&M P12 and other devices feature many signal processing schemes working simultaneously. Wireless Sync ensures that both instruments in a binaural fitting always work in sync. To achieve that both devices exchange information on their current acoustic environment and apply the same signal processing strategies to both devices.

Furthermore it allows the synchronization of volume and or program changes that the user does on one of the two devices.

## Sound Locator



With hearing aids, it is often challenging to detect where a sound generates from as the sound waves no longer pass the outer ear.

With the Sound Locator function, which imitates the properties of the human ear, the hearing environment becomes clearer. Low frequencies are processed omni-directionally, high frequencies with a slight directional effect.

## CROS



Routing of sound from one ear to the other:

For people who have unaidable hearing loss on one side, communication is often difficult, since they cannot be spoken to from both sides.

A Wireless CROS (Contralateral Routing of Signals) system can help people with one ear with no hearing. The CROS RIC, which picks up the sound via the microphones, is worn on the unaidable side. The sound is transmitted wirelessly via AudioExchange to the receiving device at the contralateral ear.



CROS RIC

## Tinnitus Relief



More people than ever suffer from Tinnitus, a medical condition that causes you to hear ringing, buzzing, or similar phantom noises. Nowadays Tinnitus is also reported as a side effect of a COVID-19 infection. In some cases, Tinnitus is the first symptom of hearing loss.

A&M hearing aids with Tinnitus Function contain a sound generator in addition to regular hearing aid functions. By adding a sound pattern around a wearer's individual Tinnitus signal, the unwanted noise can be wrapped and softened. These additional sound patterns can help reduce the Tinnitus perception.

# Hearing aid portfolio



|     | Custom | IF | RIC | S | M | P | XP |
|-----|--------|----|-----|---|---|---|----|
| P12 | •      | •  | •   | - | • | • | •  |
| P8  | •      | •  | •   | • | • | • | •  |
| P6  | •      | •  | -   | • | • | • | •  |
| P4  | -      | •  | -   | • | - | • | •  |
| A4  | -      | •  | -   | • | - | • | •  |
| T3  | -      | -  | -   | - | - | • | •  |
| T1  | -      | -  | -   | - | - | • | -  |

## Custom

Perfectly fitted  
12 compression channel  
features

A wide range of discreet customizable models helps provide users with endless flexibility. Custom hearing aids provide a pleasant sound experience with excellent listening comfort and high amplification power. Wireless functionality up to 65 dB possible. P12 with binaural signal processing ensures easier listening in loud environments. Available in CIC, ITC, and ITE form factors.

### Highlights

- › Optional push button
- › Optional Poti
- › Nearly invisible

|                             | 50 dB  | 55 dB  | 65 dB  |
|-----------------------------|--------|--------|--------|
| FOG/ OSPL in dB             | 50/113 | 55/118 | 65/124 |
| Battery current consumption | 1.1 mA | 1.0 mA | 1.1 mA |

### Colors



| Features  | XTM<br>P12   | XTM<br>P8        | XTM<br>P6        |
|---|--|------------------|------------------|
|   | 24/12/6  | 16/8/4           | 12/6/4           |
| Signal Processing- / Compression- Channels (handles) / Programs | •  | •                | •                |
| Automatic Classifier  | •  | •                | •                |
| Audio Streaming   | 0  | 0                | -                |
| Wireless Sync   | •  | •                | -                |
| Directionality <sup>1)</sup>                                    | Automatic Directional Microphone<br>Multichannel Adaptive Directional<br>Microphone<br>Directional iLock | -                | -                |
| Noise Reduction   | Noise Management<br>Sound Smoothing  | Noise Management | Noise Management |
| Wind Noise Cancellation   | •  | -                | -                |
| Bandwidth Compression   | •  | •                | -                |
| Music Enhancer  | •  | -                | -                |
| Tinnitus Function   | •  | -                | -                |
| XPhone  | -  | -                | -                |
| Smart Automatic Acclimatization/<br>Data Logging                | • / •  | • / •            | - / •            |
| Volume Control  | 0  | 0                | 0                |
| Push button   | 0  | 0                | 0                |
| Telecoil  | 0  | 0                | 0                |
| Color Conversion Kit  | -  | -                | -                |
| Accessories & Apps  |  |                  |                  |
| Smart Connect & Smart Connect App                               | •  | •                | -                |
| Smart Transmitter   | •  | •                | -                |
| Smart Remote  | •  | •                | -                |
| Smart Key   | •  | •                | •                |
| myRemote App  | •  | •                | •                |
| CROS RIC  | •  | -                | -                |

0=optional    <sup>1)</sup> not available as CIC



IF

Instant Fit – maximum discretion without custom production

The shape of the IF housing follows the natural auditory canal geometry and fits for nearly every ear. As discreet as custom CIC’s, but without the hassle of custom production. An ideal solution for first-time wearers who favor discretion and convenience above all other. Also available as ITC from P6 downwards.



Highlights

- › Wireless functionality available in P12 and P8
- › Sits deep in the canal

|                             | CIC    | ITC    |
|-----------------------------|--------|--------|
| FOG/OSPL in dB              | 50/113 | 55/116 |
| Battery current consumption | 1.1 mA | 1.0 mA |

Colors

Red

Blue

Beige

Mocha

Shell (P12, P8)

Shell (P6 - A4)

Faceplate

|   | XTM<br>P12                          | XTM<br>P8        | XTM<br>P6        | XTM<br>P4        | XTM<br>A4                           |
|---|-------------------------------------|------------------|------------------|------------------|-------------------------------------|
| Features  | P12                                 | P8               | P6               | P4               | A4                                  |
| Signal Processing- / Compression- Channels (handles) / Programs | 24/12/6                             | 16/8/4           | 12/6/4           | 8/4/4            | 8/6<br>preconfigured sound profiles |
| Automatic Classifier  | •                                   | •                | •                | •                | -                                   |
| Audio Streaming   | •                                   | •                | -                | -                | -                                   |
| Wireless Sync   | •                                   | •                | -                | -                | -                                   |
| Directionality  | -                                   | -                | -                | -                | -                                   |
| Noise Reduction   | Noise Management<br>Sound Smoothing | Noise Management | Noise Management | Noise Management | Noise Management                    |
| Wind Noise Cancelation  | •                                   | -                | -                | -                | -                                   |
| Bandwidth Compression   | •                                   | •                | -                | -                | -                                   |
| Music Enhancer  | •                                   | -                | -                | -                | -                                   |
| Tinnitus Function   | •                                   | -                | -                | -                | -                                   |
| XPhone  | -                                   | -                | -                | -                | -                                   |
| Smart Automatic Acclimatization/ Data Logging                   | • / •                               | • / •            | - / •            | - / •            | -                                   |
| Volume Control  | -                                   | -                | -                | -                | -                                   |
| Push button   | -                                   | -                | • <sup>1)</sup>  | • <sup>1)</sup>  | -                                   |
| Telecoil  | -                                   | -                | -                | -                | -                                   |
| Color Conversion Kit  | -                                   | -                | -                | -                | -                                   |
| Accessories & Apps  |                                     |                  |                  |                  |                                     |
| Smart Connect & Smart Connect App                               | •                                   | •                | -                | -                | -                                   |
| Smart Transmitter   | •                                   | •                | -                | -                | -                                   |
| Smart Remote  | •                                   | •                | -                | -                | -                                   |
| Smart Key   | •                                   | •                | •                | •                | •                                   |
| myRemote App  | •                                   | •                | •                | •                | •                                   |
| CROS RIC  | •                                   | -                | -                | -                | -                                   |

<sup>1)</sup> not available for CIC

RIC

Flexibility and practicality in a compact package

The versatile RIC is a small, inconspicuous hearing system. Various types of receivers mean that it can be used for a broad range of hearing loss. Available in two performance levels for more flexibility.



Highlights

- › Wireless functionality

| Receiver                    | S      | M      | P      | HP     |
|-----------------------------|--------|--------|--------|--------|
| FOG/OSPL in dB              | 45/108 | 60/119 | 70/124 | 75/130 |
| Battery current consumption | 0.9 mA | 1.0 mA | 1.0 mA | 1.1 mA |

Colors

Beige

Gray

Granite

(only P12)

|   | XTM<br>P12   | XTM<br>P8                        |
|---|--|----------------------------------|
| Features  | P12  | P8                               |
| Signal Processing- / Compression- Channels (handles) / Programs | 24/12/6  | 16/8/4                           |
| Automatic Classifier  | •  | •                                |
| Audio Streaming   | •  | •                                |
| Wireless Sync   | •  | •                                |
| Directionality  | Automatic Directional Microphone<br>Multichannel Adaptive Directional Microphone<br>Sound Locator<br>Directional iLock | Automatic Directional Microphone |
| Noise Reduction   | Noise Management<br>Sound Smoothing  | Noise Management                 |
| Wind Noise Cancelation  | •  | -                                |
| Bandwidth Compression   | •  | •                                |
| Music Enhancer  | •  | -                                |
| Tinnitus Function   | •  | -                                |
| XPhone  | •  | -                                |
| Smart Automatic Acclimatization/ Data Logging                   | • / •  | • / •                            |
| Volume Control  | •  | •                                |
| Push button   | •  | •                                |
| Telecoil  | •  | •                                |
| Color Conversion Kit  | •  | •                                |
| Accessories & Apps  |  |                                  |
| Smart Connect & Smart Connect App                               | •  | •                                |
| Smart Transmitter   | •  | •                                |
| Smart Remote  | •  | •                                |
| Smart Key   | •  | •                                |
| myRemote App  | •  | •                                |
| CROS RIC  | •  | -                                |

# S

## Compact yet powerful

S is the behind-the-ear hearing system for anyone who particularly values discretion. The hearing aid is ideally suited for an open-fitting system, and is ideal for mild to moderate hearing loss.



### Highlights

- › Perfect for open fitting
- › Small housing
- › Wireless functionality in P8
- › Low battery consumption

|                             | Ear hook | Thin Tube |
|-----------------------------|----------|-----------|
| FOG/OSPL in dB              | 55/124   | 45/124    |
| Battery current consumption | 0.9 mA   | 0.9 mA    |

### Colors



|   | XTM<br>P8                        | XTM<br>P6                        | XTM<br>P4        | XTM<br>A4                           |
|---|----------------------------------|----------------------------------|------------------|-------------------------------------|
| Features  |                                  |                                  |                  |                                     |
| Signal Processing- / Compression- Channels (handles) / Programs | 16/8/4                           | 12/6/4                           | 8/4/4            | 8/6<br>preconfigured sound profiles |
| Automatic Classifier  | •                                | •                                | •                | -                                   |
| Audio Streaming   | •                                | -                                | -                | -                                   |
| Wireless Sync   | •                                | -                                | -                | -                                   |
| Directionality  | Automatic Directional Microphone | Automatic Directional Microphone | -                | -                                   |
| Noise Reduction   | Noise Management                 | Noise Management                 | Noise Management | Noise Management                    |
| Wind Noise Cancellation   | •                                | -                                | -                | -                                   |
| Bandwidth Compression   | •                                | -                                | -                | -                                   |
| Music Enhancer  | -                                | -                                | -                | -                                   |
| Tinnitus Function   | -                                | -                                | -                | -                                   |
| XPhone  | -                                | -                                | -                | -                                   |
| Smart Automatic Acclimatization/ Data Logging                   | • / •                            | - / •                            | - / •            | -                                   |
| Volume Control  | -                                | -                                | -                | -                                   |
| Push button   | •                                | •                                | •                | -                                   |
| Telecoil  | -                                | -                                | -                | -                                   |
| Color Conversion Kit  | •                                | •                                | •                | •                                   |
| Accessories & Apps  |                                  |                                  |                  |                                     |
| Smart Connect & Smart Connect App                               | •                                | -                                | -                | -                                   |
| Smart Transmitter   | •                                | -                                | -                | -                                   |
| Smart Remote  | •                                | -                                | -                | -                                   |
| Smart Key   | •                                | •                                | •                | •                                   |
| myRemote App  | •                                | •                                | •                | •                                   |

# M

## Universally practical

The M P12 hearing aids are suitable for various degrees of hearing loss and with their many features, they offer wide scope for meeting your customers' individual needs. For open and closed fitting.




### Highlights

- › Wireless functionality in P12 and P8
- › For open and closed fitting

|                             | Ear hook |  |
|-----------------------------|----------|--|
| FOG/OSPL in dB              | 60/130   |  |
| Battery current consumption | 1.0 mA   |  |

|                             | Thin Tube (P12 / (P8) | Thin Tube (P6) |
|-----------------------------|-----------------------|----------------|
| FOG/OSPL in dB              | 53/126                | 53/125         |
| Battery current consumption | 1.1 mA                | 1.0 mA         |

### Colors



|   | XTM<br>P12  | XTM<br>P8                        | XTM<br>P6                        |
|---|---|----------------------------------|----------------------------------|
| Features  |   |                                  |                                  |
| Signal Processing- / Compression- Channels (handles) / Programs | 24/12/6   | 16/8/4                           | 12/6/4                           |
| Automatic Classifier  | •   | •                                | •                                |
| Audio Streaming   | •   | •                                | -                                |
| Wireless Sync   | •   | •                                | -                                |
| Directionality  | Automatic Directional Microphone<br>Multichannel Adaptive<br>Directional Microphone<br>Sound Locator<br>Directional iLock | Automatic Directional Microphone | Automatic Directional Microphone |
| Noise Reduction   | Noise Management<br>Sound Smoothing   | Noise Management                 | Noise Management                 |
| Wind Noise Cancellation   | •   | -                                | -                                |
| Bandwidth Compression   | •   | •                                | -                                |
| Music Enhancer  | •   | -                                | -                                |
| Tinnitus Function   | •   | -                                | -                                |
| XPhone  | •   | -                                | -                                |
| Smart Automatic Acclimatization/ Data Logging                   | • / •   | • / •                            | - / •                            |
| Volume Control  | •   | •                                | •                                |
| Push button   | •   | •                                | •                                |
| Telecoil  | •   | •                                | •                                |
| Color Conversion Kit  | •   | •                                | •                                |
| Accessories & Apps  |   |                                  |                                  |
| Smart Connect & Smart Connect App                               | •   | •                                | -                                |
| Smart Transmitter   | •   | •                                | -                                |
| Smart Remote  | •   | •                                | -                                |
| Smart Key   | •   | •                                | •                                |
| myRemote App  | •   | •                                | •                                |
| CROS RIC  | •   | -                                | -                                |



# P

## Power and flexibility

P hearing aids for moderate to severe hearing loss. Featuring a rocker switch for ease of use.



### Highlights

- › Perfect for open fitting
- › Small housing
- › Wireless functionality in P12 and P8
- › Low battery consumption

| Ear hook (P12 / P8)         |                                     |
|-----------------------------|-------------------------------------|
| FOG/OSPL in dB              | 70/131 (damped) / 77/135 (undamped) |
| Battery current consumption | 1.2 mA                              |

| S-Tube (P12/ P8)            | Ear hook (P6/P4) |
|-----------------------------|------------------|
| FOG/OSPL in dB              | 65/12970/134     |
| Battery current consumption | 1.2 mA1.4 mA     |

| Ear hook (A4-T3)            | Ear hook T1  |
|-----------------------------|--------------|
| FOG/OSPL in dB              | 70/13262/130 |
| Battery current consumption | 1.3 mA1.2 mA |

### Colors



| Features   | XTM P12  | XTM P8                           | XTM P6                           | XTM P4           | XTM A4                                 | STF T3                                 | STF T1                                 |
|--|--|----------------------------------|----------------------------------|------------------|--|--|--|
|  | 24/12/6  | 16/8/4                           | 12/6/4                           | 8/4/4            | 8/6<br>preconfigured<br>sound profiles | 4/4<br>preconfigured<br>sound profiles | 2/3<br>preconfigured<br>sound profiles |
| Signal Processing- / Compression-Channels (handles) / Programs |  |                                  |                                  |                  |  |  |  |
| Automatic Classifier   | •  | •                                | •                                | •                | -                                      | -                                      | -                                      |
| Audio Streaming  | •  | •                                | -                                | -                | -                                      | -                                      | -                                      |
| Wireless Sync  | •  | •                                | -                                | -                | -                                      | -                                      | -                                      |
| Directionality   | Automatic Directional Microphone<br>Multichannel Adaptive Directional Microphone<br>Sound Locator<br>Directional iLock | Automatic Directional Microphone | Automatic Directional Microphone | -                | -                                      | -                                      | -                                      |
| Noise Reduction  | Noise Management<br>Sound Smoothing  | Noise Management                 | Noise Management                 | Noise Management | Noise Management                       | Noise Manager                          | -                                      |
| Wind Noise Cancelation   | •  | -                                | -                                | -                | -                                      | -                                      | -                                      |
| Bandwidth Compression  | •  | •                                | -                                | -                | -                                      | -                                      | -                                      |
| Music Enhancer   | •  | -                                | -                                | -                | -                                      | -                                      | -                                      |
| Tinnitus Function  | •  | -                                | -                                | -                | -                                      | -                                      | -                                      |
| XPhone   | •  | -                                | -                                | -                | -                                      | -                                      | -                                      |
| Smart Automatic Acclimatization/ Data Logging                  | • / •  | • / •                            | - / •                            | - / •            | -                                      | -                                      | -                                      |
| Volume Control   | •  | •                                | •                                | •                | •                                      | •                                      | •                                      |
| Push buttton   | •  | •                                | •                                | •                | -                                      | -                                      | -                                      |
| Telecoil   | •  | •                                | •                                | •                | -                                      | -                                      | -                                      |
| Color Conversion Kit   | •  | •                                | •                                | •                | •                                      | •                                      | -                                      |

| Accessories & Apps                |   |   |   |   |   |   |   |
|-----------------------------------|---|---|---|---|---|---|---|
| Smart Connect & Smart Connect App | • | • | - | - | - | - | - |
| Smart Transmitter                 | • | • | - | - | - | - | - |
| Smart Remote                      | • | • | - | - | - | - | - |
| Smart Key                         | • | • | • | • | • | - | - |
| myRemote App                      | • | • | • | • | • | - | - |
| CROS RIC                          | • | - | - | - | - | - | - |

# XP

## High power performance

Designed for users who need extra amplification. XP offers a long lasting battery with low power consumption and the flexibility you need to treat up to profound hearing losses. Telephone-coil, audio streaming, and useful accessories provide the ultimate flexibility for the wearer.



### Highlights

- › Optional battery door with Audio Input
- › Push button and rocker switch
- › Wireless functionality in P12 and P8

| Ear hook (P12 / P8)         |        |
|-----------------------------|--------|
| FOG/OSPL in dB              | 82/140 |
| Battery current consumption | 2.1 mA |

| Ear hook (P6/P4)            | Ear hook (A4/T3) |
|-----------------------------|------------------|
| FOG/OSPL in dB              | 80/14079/140     |
| Battery current consumption | 2.4 mA2.2 mA     |

### Colors



| Features   | XTM P12  | XTM P8                           | XTM P6                           | XTM P4           | XTM A4                                 | STF T3                                 |
|--|--|----------------------------------|----------------------------------|------------------|--|--|
|  | 24/12/6  | 16/8/4                           | 12/6/4                           | 8/4/4            | 8/6<br>preconfigured<br>sound profiles | 4/4<br>preconfigured<br>sound profiles |
| Signal Processing- / Compression-Channels (handles) / Programs |  |                                  |                                  |                  |  |  |
| Automatic Classifier   | •  | •                                | •                                | •                | -                                      | -                                      |
| Audio Streaming  | •  | •                                | -                                | -                | -                                      | -                                      |
| Wireless Sync  | •  | •                                | -                                | -                | -                                      | -                                      |
| Directionality   | Automatic Directional Microphone<br>Multichannel Adaptive Directional Microphone<br>Sound Locator<br>Directional iLock | Automatic Directional Microphone | Automatic Directional Microphone | -                | -                                      | -                                      |
| Noise Reduction  | Noise Management<br>Sound Smoothing  | Noise Management                 | Noise Management                 | Noise Management | Noise Management                       | Noise Manager                          |
| Wind Noise Cancelation   | •  | -                                | -                                | -                | -                                      | -                                      |
| Bandwidth Compression  | •  | •                                | -                                | -                | -                                      | -                                      |
| Music Enhancer   | •  | -                                | -                                | -                | -                                      | -                                      |
| Tinnitus Function  | •  | -                                | -                                | -                | -                                      | -                                      |
| XPhone   | •  | -                                | -                                | -                | -                                      | -                                      |
| Smart Automatic Acclimatization/ Data Logging                  | • / •  | • / •                            | - / •                            | - / •            | -                                      | -                                      |
| Volume Control   | •  | •                                | •                                | •                | •                                      | •                                      |
| Push buttton   | •  | •                                | •                                | •                | -                                      | -                                      |
| Telecoil   | •  | •                                | •                                | •                | -                                      | -                                      |
| Color Conversion Kit   | •  | •                                | •                                | •                | •                                      | •                                      |

| Accessories & Apps                |   |   |   |   |   |   |
|-----------------------------------|---|---|---|---|---|---|
| Smart Connect & Smart Connect App | • | • | - | - | - | - |
| Smart Transmitter                 | • | • | - | - | - | - |
| Smart Remote                      | • | • | - | - | - | - |
| Smart Key                         | • | • | • | • | • | - |
| myRemote App                      | • | • | • | • | • | - |
| CROS RIC                          | • | - | - | - | - | - |

# Smart Transmitter

Connects non-Bluetooth-enabled audio sources with Smart Connect



As an accessory for Smart Connect, Smart Transmitter connects electronic devices which do not have a Bluetooth® function with the Smart Connect. The push buttons on the top ensure easy and intuitive operation; while the LEDs on the front indicate the current status of the transmitter.

## SPECIAL FEATURES

- Modern infotainment with Smart Transmitter and Smart Connect
- Directly connected to audio sources
- 3.5 mm jack socket and optical TOSLINK connection

# The handy Smart Key

Small and practical



With Smart Key, programs and volume can be easily adjusted. A keylock prevents buttons from being inadvertently pressed. A status LED indicates whether the remote control is enabled.

## SPECIAL FEATURES

- Small and handy
- Control via high-frequency sounds

# myRemote App



The myRemote App enables easy control of default settings such as program selection and volume via smartphone.

## SPECIAL FEATURES

- Hearing programs and volumes can be adjusted discreetly
- The volume can be set individually for the right and left hearing system

# The comfortable Smart Connect

Wireless connection with many communication media



Comfortably listen to music, watch television or make phone calls, also over the Internet – it's all possible. Smart Connect detects the hearing system and pairing takes place automatically. Operation is simple and convenient with the multifunction button or alternatively with the Smart Connect App.

## SPECIAL FEATURES

- Easily activated in Connexx, ready for use without programming
- Simple and quick pairing with the hearing systems
- Simple operation with the multi-function button
- Audio input
- Can also be used hands-free with the integrated microphone

# The effective Smart Remote

Attractive and functional



This remote control can be used with all hearing systems with a wireless function. The timeless design, the large push buttons together with its clearly arranged display are just some of its user-friendly features. Smart Remote offers the following standard functions: changing hearing programs, setting the volume, switching the hearing systems on and off.

## SPECIAL FEATURES

- Pre-programmed with standard functions
- Buttons can be customized
- Alarm function
- Service information can be programmed: Contact information and service appointment reminder
- Adjustable volume of the tinnitus function



iPhone is a registered trademark of Apple Inc. in the U.S. and other countries. Android is a registered trademark of Google Inc. The Bluetooth® word mark and logos are the property of Bluetooth SIG Inc. Any use of such marks by WSAUD A/S is governed by a license agreement.

Other trademarks and trade names remain the property of their respective owners.

